



Function Report

ID : 202003271171



Project
Demo Project



Version
25/01/2024 (002)

Project Description

Tutorial project. Used for video tutorials and support pages.

Enhance your reporting with our latest design update.

Now, effortlessly tailor reports to your company's brand identity, including custom color schemes, background images, and multilingual options.

Version History :

| Date | Number | Description |
|------------|--------|--------------------------------------|
| 25/01/2024 | 002 | Totally redesigned the report module |



Customer Name
Customer Name



Address



Phone



Address :



Phone :



Email :

customer.name@mail.com














Area 1 / Line 1 | Device Summary

ELECTRICAL BOARD

Devices

| | | | |
|---|---|---|---|
|  SV/S 30.320.5 |  SA/S 8.16.2.1 |  AMS 0816 |  AKD-0401 |
|  JRA/S 4.230.5.1 |  AKS 2016 |  AKS 2016 | |

Functions







| | | | |
|---|---|---|--|
|  Outdoor light sensor |  Electricity consumption |  Water consumption |  Energy consumption |
|  Longtime diagrams |  CO2 control |  Raise with heat |  Lower to night |
|  Alarm - Lighting |  Fire-alarm |  Automatic shutters |  Warmwhite / Coldwhite |
|  Over pressure | | | |

LIVING ROOM

Devices





| | | |
|--|--|--|
|  6126/02 |  6125/02 |  LED-dimmer AKD-0324V |
|--|--|--|

Functions

| | | | | |
|--|--|--|--|---|
|  CHRISTMAS light |  Human Centric Light |  Sockets of... |  SONOS |  Scenes |
|  Cooling | | | | |

KITCHEN

Devices

| | | | |
|--|--|--|--|
|  6127/01 |  LED-dimmer AKD-0224V |  BE-GTT4 |  6127/02 |
|--|--|--|--|

HALL

Devices

| | |
|---|--|
|  OUTPUT 2 ch |  BE-GT2T |
|---|--|

Functions

| | | | | |
|---|--|--|--|--|
|  Blinking |  All off |  Away / Home |  Door lock |  Weather station |
|---|--|--|--|--|

BEDROOM

Devices




6126/02




WYT36xIR

Functions



Cooling



Scenes

TOILET

Devices



6125/02



SCN-P360D3



LED-dimmer
AKD-0224V

ELECTRICAL BOARD 2

Devices



STV-0640



Line
Coupler



SA/S
12.16.2.1



SA/S
12.10.2.1

No Room


Functions




Dimming



Timer



SONOS



Scenes



Sockets of...




Blinking



Blinking



Blinking



Blinking



Blinking

Area 1 / Line 2 | Device Summary

KITCHEN

Devices



TP-RF



my device 1



Cubik-SQ4


ELECTRICAL BOARD

HOUSE / GROUND FLOOR

Room Description :

Installation Notes :


History Notes :



Outdoor Light Sensor
Outdoor Light From Sensor


Outdoor Light Controlled By Sensors And Timers

Comment :
Here Is Comments Where You Can Add Extra Text That Is Client Specific.




Electricity Consumption
Measure Electricity Consumption

Measure Electricity Consumption And Show The Value On A Display Or In An APP




Water Consumption
Measure Water Consumption

Measure Water Consumption And Show The Value On A Display Or In An APP




Energy Consumption
Actuator Energy Measurement

Read The Energy Consumption From A Energy Meter And Present The Value In A Graph On A Display.



Longtime Diagrams
Showing Longtime Diagrams

Saving And Showing Longtime Diagrams On A Display Or In An APP




CO2 Control
Ventilation CO2 Control

Control The Ventilation Through CO2 Measurements



Raise With Heat
Raising Ventilation With Heat Sensor

Energy Save Function: Raising Ventilation With Heat Sensor




Lower To Night
Lower Ventilation At Nighttime

Lower Ventilation At Nighttime To Save Energy



Alarm - Lighting
Switching On Lights When Alarm

Switching On Lights In Case Of Intruder Alarm



Fire-Alarm
Connect Fire-Alarm To GSM Alarm And KNX Lighting




Automatic Shutters
Automatic Shutters Control

Automatic Shutters Control E.G. Shut Them In Case Of A Storm



Warmwhite / Coldwhite
Automatic Warmwhite/ Coldwhite Light

Automatic Control The Warmwhite/ Coldwhite Light Through A Daylight Curve



Over Pressure
Ventilation In Over Pressure Mode

Manually Activate The Over Pressure Mode When Lighting The Fire In The Fireplace. Automatic Timer Off: - Can Not Be Set By The User.

LIVING ROOM

HOUSE / GROUND FLOOR

Room Description :

Installation Notes :

History Notes :

1.1.9

ctrl. elem., solo® comf., 2gang, FM

6126/02-81-500

1 Dimming

CHANDILARE

UP/ON

2 Scene

CHANDILARE


DOWN/OFF

3 Shutter

UP

4 Shutter

DOWN



1.1.17


Control Element, 1/2-fold, multifunction, FM

6125/02-81-500

1

1 Switch
TABLE LAMP

2 Switch
SPOTLIGHTS




2

1 Switch

2 Switch


3 Switch

4 Switch




CHRISTMAS Light
Control Your Window Sockets With A Timer

Control Your Window Sockets With A Timer Easy On/Off



Human Centric Light
Automatic Adjust The Light


Automatically Adjust The The Color Temperature Of The Light During The Day To Mimic The Sun.



Sockets Off
Switch Of Your Sockets When AWAY

House Mode AWAY - Switch Off Sockets. House Mode HOME - Switch Sockets On.

Comment :
Motion Sensor Switches Sockets Off After 2 Hours



SONOS
Control SONOS Player

Play, Stop, Volume, Next Track



Scenes
Light Scenes



Cooling
Fancoil Cooling

Light Scenes On Press Activate Many Lights. Save The Scene By Longpress In E.G. An APP

KITCHEN

HOUSE / GROUND FLOOR

Room Description :

Installation Notes :

History Notes :

1.1.12

ctrl. el., solo® standard, 4gang, FM

6127/01-81-500

1 Dimming

DINING TABLE

2 Dimming

DINING TABLE

3 Switch

SPOTLIGHTS

4 Switch

5 Shutter

KITCHEN

UP

6 Shutter

KITCHEN

DOWN

7 Shutter


EAST SIDE

UP

8 Shutter

EAST SIDE

DOWN



Comment

This is the comment field for the Device.

1.1.20

Glass Push Button 4-fold Plus, Temperature Sensor

BE-GTT4x.01

1 Switch
DINING TABLE

2 Switch
SPOTLIGHTS

3 Scene
AUTO

4 Scene
DINNER



1.1.4

c. elem., solo® comf. 4gang, FM

6127/02-81-500

1 Dimming
DINING TABLE
UP

2 Dimming
DINING TABLE
DOWN

3 Switch


4 Switch


5 Switch

6 Switch


7 Switch

8 Switch



 **Dimming**
One-Button Or Two Button Dimming

Här Läger Jag In Min Långa Beskrivning På Funktionen Dimming

 **Timer**
Timer For Sockets

Timer For Sockets E.G. To Turn Off A Socket In 2h Write Me More Text. In Separate Logic Module



SONOS

Control SONOS Player

Play, Stop, Volume, Next Track



Scenes

Light Scenes

Light Scenes On Press Activate Many Lights. Save The Scene By Longpress In E.G. An APP



Sockets Off

Switch Of Your Sockets When AWAY

House Mode AWAY - Switch Off Sockets. House Mode HOME - Switch Sockets On.

HALL

HOUSE / GROUND FLOOR

Room Description :

Installation Notes :


History Notes :

1.1.19

Glass Push Button II Smart with Temperature sensor
4/6/8/12-fold

BE-GT2TW.01

| | |
|------------------|------------------|
| 1 Switch | 2 Switch |
| 3 Switch | 4 Switch |
| 5 Switch | 6 Switch |
| 7 Switch | 8 Switch |
| 9 Switch | 10 Switch |
| 11 Switch | 12 Switch |



Blinking

Blink Lights When Activated

Blink The Lights 3 Times When Activated. Used For E.G. Childrens Room When Dinner Time TV-Room When Door Bell Is Activated



All Off

All Off With One Button

Function To Turn All Off With Only One Pushbutton



Away / Home

Away / Home Modes

Comfort Function For Controlling Whole Installation With A Few Buttons



Door Lock

Lock Doors Automatically

Lock Doors Automatically According To Sensor/Timer Values



Weather Station

Control Your Blinds According To The Weather

BEDROOM

HOUSE / GROUND FLOOR

Room Description :

Installation Notes :

History Notes :

1.1.8

ctrl. elem., solo® comf., 2gang, FM


6126/02-81-500

1 Switch

2 Switch

3 Switch

4 Switch



| | | |
|--------|-----------------------|----------|
| 1.1.10 | 3-fold push button IR | WYT360IR |
|--------|-----------------------|----------|

1 **Switch**

2 **Switch**

3 **Switch**

4 **Switch**

5 **Switch**

6 **Switch**



Cooling

Fancoil Cooling

Scenes

Light Scenes

Light Scenes On Press Activate Many Lights. Save The Scene By Longpress In E.G. An APP

KITCHEN

HOUSE / GROUND FLOOR

| | |
|---------------------------|-----------------------------|
| Room Description : | Installation Notes : |
| | History Notes : |

| | | |
|-------|-------------|-------------|
| 1.2.2 | my device 1 | my device 1 |
|-------|-------------|-------------|

1

No image is added.

1.2.3

KNX square capacitive touch panel with temperature sensor – 4 areas, 4 digital Inputs

PL114200

| | |
|----------|---------------|
| 1 | Switch |
| <hr/> | |

| | |
|----------|---------------|
| 2 | Switch |
| <hr/> | |

| | |
|----------|---------------|
| 3 | Switch |
| <hr/> | |

| | |
|----------|---------------|
| 4 | Switch |
| <hr/> | |



Copyright © 2017 by BEMI Smart Home.

All rights reserved. No part of this publication may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior permission of the publisher by copyright law.

The copyright for product images included in this document is owned by the manufacturer of the respective product.